


Energy Lost to Water Column Above GasGun Stimulation



P = Pressure
 L = Length
 A = Area
 t = Time
 F = Force
 m = Mass
 a = Acceleration

V = Volume
 v = Velocity
 W = Weight
 g = Acceleration due to gravity
 ρ = Density
 s = Distance

Values:

$P = 20,000 \text{ psi}$

$t = 20 \text{ msec.}$

$L = 1000 \text{ feet}$

$\rho = 62.4 \text{ lb/ft}^3 \text{ (density of water)}$

$g = 32.2 \text{ ft/sec}^2$

$A = 0.213 \text{ ft}^2 \text{ (6 } \frac{1}{4} \text{'' open hole)}$

Formulas:

$F = ma \text{ or } a = F/m$

$F = PA$

$m = W/g$

$W = V\rho$

$V = AL$

$s = \frac{1}{2}at^2$

Calculations:

$$a = F/m = PAg/W = PAg/AL\rho = Pg/L\rho$$

$$a = \frac{20,000 \text{ lb/in}^2 * 144 \text{ in}^2/\text{ft}^2 * 32.2 \text{ ft/sec}^2}{1000 \text{ ft} * 62.4 \text{ lb/ft}^3} = 1,486 \text{ ft/sec}^2$$

Distance water column moves in 20 msec is:

$$s = \frac{1}{2}at^2 = \frac{1}{2}(1486)(.02)^2 = 0.3 \text{ ft} = 3.6 \text{ in}$$

Conclusion:

Energy produced by the GasGun is restricted to the pay zone.

Energy lost:**Formulas:**

$$E(\text{Energy}) = KE(\text{Kinetic energy}) + PE(\text{Potential energy})$$

$$KE = \frac{1}{2}mv^2$$

$$PE = Ws$$

$$v = at$$

Calculations:

$$v = at = 1,486 \text{ ft/sec}^2 * .02 \text{ sec} = 29.7 \text{ ft/sec}$$

$$W = AL\rho = 0.213 \text{ ft}^2 * 1000 \text{ ft} * 62.4 \text{ lb/ft}^3 = 13,300 \text{ lb}$$

$$KE = \frac{1}{2}mv^2 = \frac{1}{2}(W/g)v^2 = \frac{1}{2}(13,300 \text{ lb}/32.2 \text{ ft/sec}^2)(29.7 \text{ ft/sec})^2 = 182,000 \text{ ft-lb}$$

$$PE = Ws = 13,300 \text{ lb} * 0.3 \text{ ft} = 4,000 \text{ ft-lb}$$

$$E = KE + PE = 182,000 \text{ ft-lb} + 4,000 \text{ ft-lb} = 186,000 \text{ ft-lb}$$

$$\text{Energy in GasGun}^a = 40,000,000 \text{ ft-lb}$$

$$\% \text{ of energy lost} = 186,000 \text{ ft-lb}/40,000,000 \text{ ft-lb} = 0.46 \%$$

Conclusion:

99.54% of the energy in the GasGun goes to fracturing the formation.

^a Total energy of GasGun is derived from the energy produced by a 3 1/4" x 10' GasGun tool.